## FLY PROTECTION THISSUMMER

### **Pour-On Protection**



14-26 Weeks protection 21 days meat withhold

**20L** 

\$1149



Up to 18 Weeks protection 56 days meat withhold in Merino (35 days otherwise)

Up to 8 Weeks protection 7 days meat withhold

Spray On 10 Litre

10L





### **Jetting/Dipping Products**

Elanco

■ 5000 litres of wash per 10 litre pack.

ニリスシスリハ

■ 2500 litres of wash per 5 ■ Instant kill & up to 14 litre pack

CYRAZIN LIOUID

■ 2500 litres of wash per 5 litre pack.

7 days meat with hold



7 days meat with hold

weeks protection

with hold

■ Up to 12 weeks protection.



### Calf Animal Health

What do you need to grow a calf into a \$1500 investment?





Sudden Death **Prevention** 





### Same drench ingredients give the same results??

**NO!** According to NZ research published in the international journal "Veterinary Parasitology" Cattle were tested for faecal egg reduction on 6 different farms comparing different drench treatments

The Veterinary Centre stocks proven animal health products that we know will perform. We will always be competitive but never at the expense of quality or productivity.

■ Eclipse was superior, achieving average egg reductions of 98%

ECLIPSE

■ Another brand gave an average egg reduction of 85% with one result being as

All prices and promotions in this issue valid until the end of the month or while stocks last

# Blue Cross **Veterinary Centres**

Veterinary Centre Oamaru Veterinary Centre Waimate Veterinary Centre Palmerston Veterinary Centre Glenavy **Veterinary Centre Kurow** Veterinary Centre Omarama **Veterinary Centre Ranfurly** 

Ph 03-689 7213 Ph 03-465 1291 Ph 03-689 8118 Ph 03-436 0567 Ph 03-438 9868 Ph 03-444 1020

Ph 03-434 5666

# Veterinary Centre



#### Drench Resistance Testing - Wanting to go a step further?

A full faecal egg count reduction test (with larval cultures) checks the effectiveness of each drench family against a range of worm species. Lambs are the ideal class of stock to test, so join the growing number of farmers taking this realistic step to protect their farming futures, and call us now to find out more or to book your farm in. It is critical you know how well the different drench families are working



by the Big Blue Cross

## **ABORTION STORMS.** TWO DISEASES. TWO VACCINES.





### WHY DO HALF THE JOB!

### **TOXOVAX**

All maiden ewes should be vaccinated at least 4 weeks prior to their first mating. Toxovax is a live vaccine manufactured to demand, so to ensure availability, you should place your order at least a month prior to your need.



### PLAN FOR SUCCESS: ORDER YOUR TOXOVAX® NOW

- ✓ Order from our vets at least 8 weeks before you intend to introduce the ram.
- One shot gives lifetime immunity.
- ✓ Up to 8% higher lambing percentages (3% national average).

### **CAMPYVAX4**

Campyvax4 is equally important and has been shown to increase lambing by an average 9%. Apart from devastating campylobacter abortion storms, campylobacter remains a significant cause of unnoticed abortions and the births of dead or weak lambs. Protect maiden ewes with two shots, 4-6 weeks apart, prior to mating, or one shot in previously vaccinated ewes.

To get the best from your flocks performance for the next lambing season, speak with one of our

Insure your future with Campyvax & Toxovax

## **Pre-Mating Reminders**

- Critical to get it right impossible to correct any mistakes until next season
- Determines the potential performance of your flock for the upcoming season
- Nothing can increase scanning percentages once mating has finished

#### Things to check include:

- Ram health and soundness
- Ewe body condition
- Feeding levels

- Trace Element status
- Ability of the ewe to conceive and maintain pregnancy

### 2 Tooth/Hogget Pre-mating **Animal Health Programme** (example for early April mating)

#### Feb 5<sup>th</sup>

- First Campyvax 4 shot (Sensitiser - 1ml/subcut)
- Toxovax Shot 2ml (intramuscular)



- Second Campyvax4 shot (Booster – 1ml subcut)
- Flexidine 1.5mls (intramuscular

#### April 5th

• Put the ram out

### **Ram Soundness**

Ensuring your rams are ready to get the job done is imperative! Rams should be checked at least 8 WEEKS PRIOR to mating.

- Lameness check feet as it may impair their ability to mate
- Ram Palpations quick / cheap way to reduce fertility problems
- Detection of the B. ovis

Contact us to book your rams in for their annual visit.

### **Veterinary Centre WOOF - W.O.F.** A Warrant of fitness for your working dog

Heart, Lungs and Abdomen **Engine:** 

Lameness, Arthitis and Mobility Tyres:

**Bodywork:** Skin, Eyes Ears and Lumps

Teeth, Body Condition and Diet Fuel:

Book your farm dogs in for this Health Check and Vaccination Service, done on farm, when a vet is in your area!!





## Flexidine

**Total Long-Acting Protection against Iodine Deficiency** 

### Can you justify an investment in iodine?


Lamb survival is the biggest area of potential gain in sheep production.

A 3000 ewe flock scanning 160% and tailing 130%, only needs to save an extra 20 lambs to get a return. That is only 0.5% increase required. If you close the lamb loss gap by 5% due to iodine supplementation that is another 150 lambs. At \$120/lamb that is another \$18,000 income from a \$2,400 investment.

There is enough evidence to show iodine is an issue in high country areas and when ewes are wintered on brassicas. Iodine deficiency has a part to play in the lamb birth weight and survival complex.

#### **CONCLUSION**

lodine can be justified financially very easily with less than 1% lift in lamb survival. \*Only available with veterinary prescription





**BOEHRINGER** EM RIGHT

> Recieve a **FREE** COOLER BAG with qualifying products ncluding Matrix Hi-Min 20 litres & Switch Hi-Min 20 litres

### Extend the life of your combination drenches

One strategle drench with Zolvix or Started per year ean double the useful life of **existing (triple)** drenches



