#### ELY PROTECTION

#### **Pour-On Protection**



14-26 Weeks protection 21 days meat withhold

**20L** 

\$1149

20L\$1119



Up to 18 Weeks protection 56 days meat withhold in Merino (35 days otherwise)

Spray On 10 Litre

Up to 8 Weeks protection 7 days meat withhold

10L





#### **Jetting/Dipping Products**

Elanco Cvrex

■ 5000 litres of wash per 10 litre pack.

■ 2500 litres of wash per 5 ■ Instant kill & up to 14 litre pack

LIOUID

■ 2500 litres of wash per 5 litre pack.

with hold

7 days meat

■ Instant kill & up to 12 weeks protection

> 7 days meat with hold

weeks protection

with hold

■ Up to 12 weeks protection.



CHRAZIN



#### **Young Calf Drench Guidance**

Calves Over 100KG



- Matrix Minidose & Alliance are triple drenches (white/clear/ mectin active ingredients)
- Triple drench technology delays the onset of drench resistance

Triple action drenches are best practice for calves over 100kg



**ALLIANCE** 

**Pour-Ons & Injections** 



■The Eclipse range provides combination technology for larger



All prices and promotions in this issue valid until the end of the month or while stocks las

## Blue Cross **Veterinary Centres**

Veterinary Centre Oamaru Veterinary Centre Waimate Veterinary Centre Palmerston **Veterinary Centre Glenavy Veterinary Centre Kurow** Veterinary Centre Omarama Veterinary Centre Ranfurly

Ph 03-434 5666 Ph 03-689 7213 Ph 03-465 1291 Ph 03-689 8118 Ph 03-436 0567 Ph 03-438 9868 Ph 03-444 1020

## Veterinary Centre

2020 was a tough year but together we got through it! Our Best Wishes for a Safe and Successful Farming Year! Thank you for your custom. Be assured we

never take your business for granted. It is always a privilege to be able to be of service.







■ Use an effective combination drench. Matrix is best.

increase and control of Autumn challenge is lost

■ Drench and put back in previous paddock for 1-2 days before

■ If drench intervals are stretched, larval challenge can rapidly

■ If you do intend to stretch drench intervals, put in a monitoring

**EFFECTIVE LAMB** 

**DRENCHING GUIDELINES** 

# ABORTION STORMS. TWO DISEASES. TWO VACCINES.



Don't leave your ewe flock unprotected. It's not worth the risk!

#### **TOXOVAX**

All maiden ewes should be vaccinated at least 4 weeks prior to their first mating. Toxovax is a live vaccine manufactured to demand, so to ensure availability, you should place your order at least a month prior to your need.



### PLAN FOR SUCCESS: ORDER YOUR TOXOVAX® NOW!

- Order from our vets at least 8 weeks before you intend to introduce the ram.
- ✓ One shot gives lifetime immunity.
- ✓ Up to 8% higher lambing percentages (3% national average).

#### **CAMPYVAX4**

Campyvax4 is equally important and has been shown to increase lambing by an average 9%.

Apart from devastating campylobacter

Apart from devastating campylobacter abortion storms or even obvious abortions, campylobacter remains a significant cause of unnoticed abortions and the births of dead or weak lambs. Protect maiden ewes with two shots, 4-6 weeks apart, prior to mating, or one shot in previously vaccinated ewes.

To get the best from your flocks performance for the next lambing season, speak with one of our team today. Vaccinate and secure more than just lamb numbers.



#### 2 Tooth/Hogget Pre-mating Animal Health Programme

(example for early April mating)

#### Jan 5th

• Order Toxovax

#### Feb 5<sup>th</sup>

- First Campyvax 4 shot (Sensitiser -1ml/subcut)
- Toxovax Shot 2ml (intramuscular)

#### March 5th

- Second

   Campyvax4 shot
   (Booster 1ml
   subcut)
- Flexidine 1.5mls (intramuscular)
- Oral drench
   Matrix hi min
   (includes Selenium)

#### April 5<sup>th</sup>

Put the ram out

Question: What sheep drench should I use?

Answer: I'll check the result of my reduction test.



■ Dose to the heaviest in the mob

■ Stick to 28 day drench interval

shifting to clean pasture

F.E.C. at 5-6 weeks

500 EXPEDITES

BIONIC

STARTECT



MATRIX





Weaning is the time to do a Faecal Egg Count Reduction Test Call your local Blue Cross Veterinary Centre to book one today!

# For the treatment of lodine deficiency in sheep from mating to weaning. This is a prescription medicine and available only following veterinary consultation. Flexidine For the treatment of lodine deficiency in sheep from mating to weaning. Use 4-6 weeks pre-tup for consistent iodine supplementation

# Multine with B12 & Selenium for supplementation of lambs from tailing

#### **Pre-Mating Reminders**

- Critical to get it right impossible to correct any mistakes until next season
- Determines the potential performance of your flock for the upcoming season
- Nothing can increase scanning percentages once mating has finished

#### Things to check include:

- Ram health and soundness
- Trace Element status
- Ewe body condition
- Ability of the ewe to conceive and maintain pregnancy

■ Feeding levels

Omarama Glenavy Kurow Palmerston Ranfurly