

Clostridial Vaccine

DOSAGE REQUIRED: Sensitizer Dose in first year needs to be followed with a Booster 4-6 weeks later, and a Booster every 12 months thereafter.

5-in-1



MULTINE
5-in-1 Clostridial Vaccine

The proven performer for cost effective control of five clostridial diseases.

▼ Multine B12 ▼ Multine Selenised ▼ Multine B12 + Selenised

10-in-1

NOTE
Plain, B12 or B12 Selenised to be used on new lambs, do not use just Selenised on lambs.



COVEXIN[®] 10

The most extensive clostridial cover available in New Zealand.

VET ONLY

The primary preventable clostridial diseases are ...
Tetanus • Pulpy Kidney • Black Disease • Black Leg
Malignant Oedema • Sudden Death

Working Dog DEAL



Black Hawk
Working Dog Adult Lamb & Beef Working Dog Food – 20kg

BlackHawk[®]

High endurance Working Dog formula is high in protein and fat to promote sustained energy release, strong lean muscles as well as healthy joints and coats.

32% Protein
Highly digestible protein with real meat

22% Fat
From a blend of healthy fats and oils, including emu oil.



FREE Black Hawk Cooler Bag

With every TWO bags of BH Working Dog 20kg purchased

Sheep Drench



20L \$695.00

ACTIVE: Abamectin, Levamisole, and Oxfendazole with Selenium and Cobalt

Triple Active Combination Hi-Mineral Drench for Sheep



14 Day Meat WHP

Dose Rate: 1ml/5kg

Tapeworm Drench



10L \$489.00

ACTIVE: Abamectin, Albendazole, and Levamisole, PLUS Praziquantel with Selenium, Cobalt, Copper, Zinc, Iodine

Triple active drench plus praziquantel for tapeworm control.

An ideal first drench for lambs around weaning.

21 Day Meat WHP

Dose Rate: 1ml/5kg

Tapeworm in Young Lambs

Now is the most common time for to see tapeworm. Not all lambs get knocked around by them, but some do in the 8-12 weeks of age stage.

If your lambs pre-weaning are a bit shelly with a smudge of dags it may be worth doing a drench.

Eraser Tape is a triple active plus tape and suitable for lambs over 15kg or 4 weeks of age.



Do the same drench ingredients always give the same result?

NO! According to NZ research published in the international journal "Veterinary Parasitology"



Cattle were tested for faecal egg reduction on six different farms comparing different drench treatments.

- Eclipse was the significantly superior pour on achieving average egg reduction of 98% in a tight range, the lowest result being 93%.
- The other pour on brand gave an average egg reduction of 85% with a wide range of performance, some results being as low as 40% egg reduction.
- Trial by Leathwick et al, Veterinary Parasitology, 2016

ECLIPSE
POUR-ON for Cattle

The Veterinary Centre stocks proven animal health products that we know will perform. We will always be competitive but never at the expense of quality or productivity.

Veterinary Centre
by the Big Blue Cross

Your Local Veterinary Centre

- ▶ Oamaru 311 Thames Street 03 434 5666
- ▶ Timaru 18 Sefton Street 03 684 5666
- ▶ Waimate 128 High Street 03 689 7213
- ▶ Ranfurly 16 Charlemont Street East 03 444 1020
- ▶ Palmerston 29 Stronsa Street 03 465 1291
- ▶ Kurow 32 Bledisloe Street 03 436 0567
- ▶ Omarama 13 Chain Hills Highway 03 438 9868
- ▶ Glenavy 19 Redcliff Road 03 689 8118



0800 VET 111 (0800 838 111)
www.vet111.co.nz

Veterinary Centre



Happy New Year



The New Year is a perfect time to design your **Animal Health Plan** for your farm!

New Timaru Clinic
 18 Sefton Street Cnr Sefton & Sarah St
 Phone 03 684 5666 | timaru@vet111.co.nz

VETERINARY CENTRE

For advice you can trust!

✓ Right Price ✓ Right Product ✓ Right Advice

by the Big Blue Cross


Abortion Storms



TWO DISEASES – TWO VACCINES



Order ToxoVax EARLY!



TOXOVax

- ✓ Toxoplasma is present on **100% of NZ Farms.**
- ✓ Up to **8% Higher Lambing** percentages (3% national average).
- ✓ **Reduction in Dry Ewes** by an average of 13.5%, more lambs.
- ✓ Vaccinate at least **4 Weeks Prior to Mating.**
- ✓ **One Shot** gives a lifetime immunity, no booster required.
- ✓ ToxoVax is a **LIVE** vaccine and made to order. **Order at least 4 weeks prior** to treatment to ensure availability.

CAMPYVax4

- ✓ Campylobacter is present on **88% of NZ Farms.**
- ✓ Campylobacter abortion storms may result in **Lamb Losses up to 30%** in naive flocks.
- ✓ **9% Average Increase in Lambing Percentages** even in farms that do not see abortions.
- ✓ Primary vaccination (eg. Maiden Ewes) requires **Two Shots 4-8 weeks Apart.**
- ✓ Subsequent years (eg. Mixed -Age Ewes) require a **Single Booster Shot.**

Order yours early before it's too late.

Don't leave your ewe flock unprotected ... it's not worth the risk!

AVAILABLE ONLY UNDER VETERINARY AUTHORISATION. ACVM No's: A4769, A9535. Schering-Plough Animal Health Ltd. Phone: 0800 800 543. www.msd-animal-health.co.nz NZ-CVX-201100004 © 2020 Intervet International B.V. All Rights Reserved. 1. Dempster et al (2011), NZ Veterinary Journal, 59:4 155-159. 2. Wilkins et al (1992) Surveillance, 19:4, 20-23. 3. Sahin et al (2017) The Annual Review of Animal Biosciences, 5: 9:1-9:22.

Example for early April mating 2 Tooth/Hogget Pre-mating Animal Health Programme

5 Jan	5 Feb	5 Mar	5 Apr
<ul style="list-style-type: none"> • ORDER ToxoVax 	<ul style="list-style-type: none"> • CampyVax4 First Sensitiser Shot (1ml/subcut) • ToxoVax 2ml Dose Intramuscular 	<ul style="list-style-type: none"> • CampyVax4 Second Booster Shot (1ml/subcut) • Flexidine 1.5ml Dose Intramuscular • Check FEC Drench as required 	<ul style="list-style-type: none"> • Put the Ram out!



Flexidine

For the treatment of Iodine deficiency in sheep from mating to weaning. Use 4-6 weeks pre-tup for Iodine supplementation. in a sustained release formulation.

* This is a prescription medicine only available following a veterinary consultation.

Pre-Mating Reminders

It is critical to get it right, as it is impossible to correct any mistakes until next season. The work pre-mating determines the potential performance of your flock for the upcoming season. Nothing can increase scanning percentages once the mating has finished!

Summer Flystrike Protection Industry leading blowfly solutions



SPRAY-ON (Applicator Gun)

CLIKZIN



SPRAY-ON

- 6-9 Weeks Protection
- 7 Days Meat WHP

20 Litres
\$775.00

ACTIVE: Dicyclanil 12.5g/L

StrikeForce-S



SPRAY-ON

- Up to 18 Weeks Protection
- 14 Days Meat WHP

15 Litres
\$989.00

ACTIVE: Dicyclanil 50g/L

CLIK EXTRA



SPRAY-ON

- 14-26 Weeks Protection
- 21 Days Meat WHP

20 Litres
\$1,395.00

ACTIVE: Dicyclanil 65g/L

Shower, Jetting and Plunge Dip

VETRAZIN LIQUID



Cost Effective Fly and Lice Control

- Up to 12 Wks Protection
- 7 Days Meat WHP

10 Litres
\$695.00

PRICE PER LITRE
Jetting/Shower 12c
ACTIVE: Cyromazine 500g/L

COOPERS ZENITH Concentrate



NIL Meat WHP

- Fly Protection - Up to 12 Weeks
- Lice Protection - Up to 20 Weeks
- NIL Meat WHP

5 Litres
\$459.00

PRICE PER LITRE
Jetting/Shower 20c / Dipping 12c
ACTIVE: Diflubenzuron 250g/L

Cyrex Liquid



Fly Knockdown & Persistent Activity

- Shower or Plunge Dip - 8-12 Weeks Protection
- Jetting - 3-8 Weeks Protection
- 7 Days Meat WHP

10 Litres
\$1,429.00

PRICE PER LITRE Jetting/Shower 25c
ACTIVE: Cyromazine 500g/L Spinosad 12.5g/L

Calf & Cattle Drench

TURBO ADVANCE



DUAL ACTIVE
Eprinomectin, Levamisole with Selenium & Cobalt
ORAL DOSE: 1ml/10kg

5L \$459.00
15L \$1,085.00

Cattle & Young Calves
*Young Calves drench with a Dual Active (NO Abamectin) ... good guide is from 2 weeks on grass.

COOPERS ALLIANCE



TRIPLE ACTIVE
Abamectin, Levamisole, Oxfendazole with Selenium & Cobalt
ORAL DOSE: 1ml/10kg

10 Litres
\$739.00

Cattle & Calves
*Triple Actives are suitable for Calves over 100kg.

BOSS



DUAL ACTIVE
Abamectin, Levamisole
POUR-ON DOSE: 1ml/20kg

2.5L \$689.00
5L \$1,299.00

ECLIPSE



DUAL ACTIVE
Abamectin, Levamisole
POUR-ON DOSE: 1ml/20kg

2.5L \$619.00
5L \$1,099.00

ECLIPSE E



DUAL ACTIVE
Abamectin, Levamisole with Selenium & Cobalt
INJECTION DOSE: 1ml/35kg

500ml
\$329.00

Young Cattle (R1 & R2)

Drench Performance Test

Invest in your farm's future! Know your drench status by doing a Drench Performance Test.

Weaning is the time to be testing

- What are your parasite levels before you start?
- Apply multiple drench options and analyse the results to find out what works on your farm.
- Develop a Drench Plan to ensure your farms drenching is effective and doesn't add to the resistance issue.

